

# CCIS-SC7030BD

CCIS-SC7030BD Erosion Control Blankets consist of 70% wheat straw and 30% mattress grade coconut fiber mechanically bound and covered on both sides by biodegradable netting. The straw and coconut fiber is homogeneously blended and evenly distributed throughout the blanket. The top and bottom netting is biodegradable jute with mesh openings of approximately 3/8 in. by 3/8 in (11 mm by 11 mm). The blanket is sewn on approximately 2 in. (51 mm) centers with biodegradable all natural thread.

PROPERTY	TEST METHOD	ENGLISH	METRIC
<b>PHYSICAL</b>			
Mass/Unit Area	ASTM D-6475	9.0 oz/yd <sup>2</sup>	305 g/m <sup>2</sup>
Thickness	ASTM D-6525	285 mils	7.2 mm
<b>MECHANICAL</b>			
Tensile Strength (Grab)	ASTM D-6818	240 x 132 lb/ft	3.5 x 1.9 kN/m
Elongation	ASTM D-6818	30%	30%
<b>ENDURANCE</b>			
Functional Longevity	Observed	Up to 24 months	Up to 24 months
<b>ROLL SIZES</b>			
		8 ft x 112.5 ft	2.45 m x 34.29 m
<b>ROLL WEIGHTS</b>			
		Approx. 60 lbs	Approx. 27 kg

**For Pricing And Availability Contact Our Sales Team at 780-962-6559**

**NOTES:**

The property values listed above are effective 08/2006 and are subject to change without notice. A TYPICAL value is the average value obtained when testing the product.