



PROTECTIVE INDUSTRIAL PRODUCTS

INFRASTRUCTURE CONSTRUCTION SAFETY PRODUCTS

QUICK REFERENCE GUIDE

www.pipusa.com

A global provider of innovative safety products



Over 30 years ago, PIP® founders Joe Milot and Wellson Tao set out on a mission to bring the best of the world in Safety products.

FOUNDED IN
1984
IN LATHAM, NY USA

WORKFORCE OF OVER
1500+
EMPLOYEES

WITH OVER
10K+
PRODUCTS AVAILABLE

OVER
20
GLOBAL LOCATIONS

MANUFACTURING LOCATIONS
9
IN NORTH AMERICA

DISTRIBUTION CENTERS
1.5M SQ
FT
GLOBALLY SITUATED

Today, PIP® is a leader in safety products.

BRANDS THAT EXTEND AROUND THE GLOBE.



MAIN PRODUCT CATEGORIES



HAND & ARM PROTECTION



PROTECTIVE GARMENTS



EYE & HEARING PROTECTION



ELECTRICAL SAFETY



HEAD PROTECTION



FOOT PROTECTION

Protecting Hands

Up to 30 percent of hand injuries are attributed to fit, wear or simply the wrong type of glove for the hazard. Through innovation and proper training, PIP® believes it can help eliminate hand injuries on the job. G-Tek® cut resistant gloves offer the right protection, fit and feel so workers are comfortable, secure and more productive.

Safety Products You Can Trust

Over the last 10 years, PIP® has grown its product offering in personal protective equipment to deliver head-to-toe protection. Today, in addition to knit gloves and sleeves, we manufacture hard hats, face shields, ear muffs, ear plugs and first aid products.



Construction
Safety

KEY TO SAFETY IN INFRASTRUCTURE AND HEAVY CONSTRUCTION

Infrastructure construction job sites are busy, complex and filled with workers from multiple trades all interacting in challenging physical environments. Studies show that construction workers face a higher rate of work-related injuries and deaths than nearly any other industry in the world. Using the correct PPE can greatly reduce these risks. PIP® offers a full line of personal protective equipment to help protect construction workers from the hazards and elements they face daily.

EMPLOYMENT

- Nearly 6.7 million workers
- Approximately 252,000 construction sites in the U.S.

INJURIES

THE FATAL FOUR:



38.7%

Electrical Hazards



9.4%

Fall Hazards



8.3%

Struck by object



7.3%

Caught in or between

Hand Protection

Protection against cut/laceration, impact/crushing, cold, chemical exposure and repetitive use.

Hearing Protection

Protection against prolonged exposure to the noise of machinery, tools and job sites.

Safety Glasses

Protection against dirt, concrete dust, glass shards, metal filings and other debris.

Hard Hats

Protection from falling objects, struck-by hazards and other unplanned events.

Protective Garments

Protection from work-zone fatalities and accidents caused by poor visibility.

Footwear

Protection from harmful liquids, impact, puncture and other harmful debris.

Electronic Flares

Provides a visible barrier between workers and heavy machinery in motion.

Tool Tethering

Prevents objects being dropped from heights and protects workers below.

Highways, Streets and Roads

Bridges

APPLICATIONS



CLEARING &
EXCAVATION



MOUNTING



GRADING

USER NEEDS

ABRASION RESISTANCE

CUT RESISTANCE

DEXTERITY AND FACILITY

LOW MEDIUM HIGH

APPLICATIONS



INSTALLATION OF
ABUTMENTS & PILES



HEAVY-DUTY
WORK



MASONRY

USER NEEDS

ABRASION RESISTANCE

CUT RESISTANCE

DEXTERITY

LOW MEDIUM HIGH



16-854 G-TEK® POLYKOR® GLOVE WITH NITRILE FOAM PALM, XS-2XL

- ▶ Provides excellent dexterity and tactile sensitivity
- ▶ Nitrile channels fluid from surface for improved grip
- ▶ Secure grip in dry conditions



16-635 G-TEK® POLYKOR® GLOVE WITH NITRILE PALM AND FINGERS, XS-2XL

- ▶ Sandy MicroSurface finish provides excellent dry and slightly oily grip
- ▶ Enhanced protection from cut and abrasion
- ▶ Good dexterity and comfort



16-939 G-TEK® POLYKOR® X7™ GLOVE WITH DOUBLE- DIPPED NITRILE FULL HAND COATING, S-2XL

- ▶ Double-dipped coating for enhanced abrasion and liquid resistance
- ▶ High cut resistance with ultra thin 18G liner
- ▶ Microsurface nitrile palm provides excellent grip in dry, wet and oily conditions



120-MC1325T BOSS® PREMIUM PIGSKIN TASK SPECIFIC WORK GLOVE, S-2XL

- ▶ Pre-curved fingers improve comfort and reduce hand fatigue
- ▶ 4-way stretch thumb offers increased flexibility and overall comfort
- ▶ Para-aramid lining provides breathable cut and heat resistance



16-561 G-TEK® POLYKOR® GLOVE WITH POLYURETHANE PALM, XS-2XL

- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Secure grip in dry and slightly wet/oily conditions
- ▶ High abrasion resistance



710HGUBHV G-TEK® IMPACT GLOVE WITH POLYURETHANE PALM AND FINGERS, S-2XL

- ▶ Increased comfort and visibility
- ▶ Secure grip in dry and slightly wet/oily conditions
- ▶ Dorsal impact protection

Mass Transit, Airports and Airways

Water Supply and Resources

APPLICATIONS



RETROFITTING &
RECONSTRUCTION



HEAVY-DUTY
WORK



CONCRETE
FINISHING

USER NEEDS



APPLICATIONS



CLEANING &
PREPARING




HANDLING OF
BUILDING MATERIAL



TRENCH
DIGGING

USER NEEDS



16-541

G-TEK® POLYKOR® 21-GAUGE GLOVE WITH POLYURETHANE PALM AND FINGERS, XS-2XL

- ▶ 21-gauge shell provides lightweight and breathable cut resistance
- ▶ Polyurethane coating provides excellent dry grip and tactile sensitivity
- ▶ Reinforced thumb crotch enhances durability



55-1600

G-TEK® GP™ GLOVE WITH FULL LATEX COATING, S-2XL

- ▶ Increased comfort and breathability
- ▶ Great grip in dry and wet conditions
- ▶ Fully coated to keep hands dry and water out



556

G-TEK® POLYKOR® GLOVE WITH POLYURETHANE PALM AND FINGERS, XS-2XL

- ▶ Unmatched dexterity and tactile sensitivity
- ▶ Excellent cut resistance
- ▶ Good grip in dry/slightly oily conditions



56-426

MAXIDRY® FULLY DIPPED NITRILE GLOVE, S-2XL

- ▶ LiquiTech® liquid repellent technology
- ▶ Superior grip in oily and wet conditions
- ▶ High abrasion resistance



555

G-TEK® POLYKOR® GLOVE WITH NITRILE PALM AND FINGERS, S-2XL

- ▶ Unmatched dexterity and tactile sensitivity
- ▶ Excellent cut resistance
- ▶ Good grip in dry/oily conditions



76-733

MAXICHEM® CUT™ FULL HAND LATEX BLEND GLOVE

- ▶ Sandy latex palm and fingers provide wet and dry non-slip grip
- ▶ TriTech™ technology provides comfort, mechanical protection and liquid barrier protection
- ▶ Tailored cuff and pre-curved fingers maximize functionality

Waste Management

Power Generation and Transmission

APPLICATIONS



EXCAVATING & HAULING




STRUCTURAL CONCRETE



PRE-CAST

USER NEEDS



APPLICATIONS



HARNESSING & FASTENING




HEAVY-DUTY WORK



SIGNALING

USER NEEDS



ANSI CUT
A4

ANSI/ISEA 138
2

120-5150

MAXIMUM SAFETY® TUFFMAX™, M-2XL

- ▶ Excellent drip in oily conditions
- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Heavy-duty impact protection



39-1310

G-TEK® SEAMLESS KNIT GLOVE WITH LATEX PALM AND FINGERS, XS-2XL

- ▶ Latex crinkle coating provides excellent wet and dry grip
- ▶ Seamless knit polyester/cotton shell is comfortable and flexible
- ▶ Ergonomic shaped curved finger pattern



ANSI CUT
A4

ANSI/ISEA 138
2

16-MPH430HV

G-TEK® POLYKOR® DOUBLE-DIPPED NITRILE PALM GLOVE, M-2XL

- ▶ Moderate cut protection
- ▶ Double-dipped nitrile MicroSurface coating provides excellent wet/dry grip with added abrasion protection
- ▶ High-visibility TPR for back of hand impact protection



HVG700SLC

G-TEK® POSIGRIP® HI-VIS SEAMLESS KNIT GLOVE WITH LATEX PALM AND FINGERS, S-XL

- ▶ Latex crinkle coating provides excellent wet and dry grip
- ▶ Hi-vis seamless knit polyester/cotton shell enhances hand acuity
- ▶ Knit Wrist helps prevent dirt and debris from entering the glove



ANSI CUT
A4

ANSI/ISEA 138
2

9120

BOSS® TOP GRAIN SHEEPSKIN LEATHER DRIVER GLOVE, S-3XL

- ▶ Para-aramid lining offers enhanced cut protection and good heat dispersion
- ▶ Keystone thumb provides superior dexterity and durability
- ▶ TPR protects against back of hand impacts without sacrificing dexterity



ANSI CUT
A2

16-334

G-TEK® POLYKOR® GLOVE WITH NITRILE PALM, XS-2XL

- ▶ Increased comfort and breathability
- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ High abrasion resistance

Telecommunications

Hazardous Waste Removal and Storage

APPLICATIONS



HARNESSING & FASTENING




WIRE PULLING



CONNECTING & TESTING

USER NEEDS



APPLICATIONS



HARNESSING & FASTENING




PIPE CUTTING & THREADING



INSTALLATION

USER NEEDS



16-MP585 G-TEK® POLYKOR® X7™ SEAMLESS KNIT BLENDED GLOVE WITH NEOFOAM® COATED PALM, M-2XL

- ▶ Outstanding wet and dry grip
- ▶ Optimal impact protection
- ▶ Excellent dexterity and tactile sensitivity



58-8658K XTRATUFF™ CUT RESISTANT GLOVE WITH MICROFOAM NITRILE PALM, XS-3XL

- ▶ 360° breathability
- ▶ Great grip in dry and light oil applications
- ▶ Seamless Kevlar® liner provides excellent cut resistance



120-MP2415 BOSS® SYNTHETIC LEATHER PALM WITH SILICONE & PVC PATCH GRIP AND SPANDEX BACK, M-3XL

- ▶ Excellent grip in dry and slightly oily conditions
- ▶ Excellent impact resistance
- ▶ Pre-curved fingers for all-day comfort



76-833 MAXICHEM® CUT™, S-2XL

- ▶ Chemical resistance delivered through the ATG® LiquiTech® technology platform
- ▶ Triple-layered TriTech™ technology for added protection, performance and comfort
- ▶ Micro-cup non-slip grip finish allows for a controlled and superior grip in oily and wet applications



120-MP3120 BOSS® HIGH PERFORMANCE GLOVE WITH PVC GRIP AND SPANDEX BACK, M-3XL

- ▶ D30® technology elevates back of hand impact protection for heavy-duty jobs
- ▶ Pre-curved fingers for enhanced comfort
- ▶ Double stitched for long lasting performance



16-CUT229MS G-TEK® POLYKOR® GLOVE WITH DOUBLE-DIPPED NITRILE FULL HAND COATING, XS-2XL

- ▶ Double-dipped coating for enhanced durability and liquid resistance
- ▶ High cut resistance with ultra thin liner
- ▶ Microsurface nitrile palm provides excellent grip in dry, wet and oily conditions

Cold Weather Gloves



ANSI CUT
A4

41-8014

G-TEK® POLYKOR®/ACRYLIC SEAMLESS KNIT GLOVE WITH DOUBLE-DIPPED LATEX PALM AND FINGERS, S-2XL

- ▶ PolyKor®/Acrylic blended shell provides excellent dexterity, tactile sensitivity, cut resistance and warmth
- ▶ Double-Dipped coating helps extend the life of the glove and provide excellent abrasion resistance
- ▶ Latex MicroSurface coating provides a superior grip in dry and wet conditions
- ▶ Internal fibers quickly evaporates moisture from the skin



ANSI CUT
A4

41-1417

G-TEK® POLYKOR® SEAMLESS KNIT GLOVE WITH DOUBLE-DIPPED NITRILE FULL HAND COATING, S-2XL

- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Fully coated flat nitrile helps keep hands dry in wet applications
- ▶ Nitrile foam coating provides superior grip in dry, wet and oily applications
- ▶ Excellent thermal insulation



ANSI CUT
A6

41-8035

G-TEK® POLYKOR®/ACRYLIC SEAMLESS KNIT GLOVE WITH NITRILE PALM AND FINGERS, S-2XL

- ▶ PolyKor®/Acrylic blended shell provides excellent cut and cold weather protection
- ▶ Single-layer construction provides dexterous thermal insulation
- ▶ Foam finish acts like tiny suction cups that attach themselves firmly to surfaces

Ear Muffs



NP112

SPITFIRE™ PLASTIC CAP-MOUNTED EAR MUFF

- ▶ NRR 20 dB
- ▶ Dielectric
- ▶ Lightweight
- ▶ Meets ANSI S3.19-1974 regulations & CSA Class A standards



NP119

BUFFALO™ WIRE CAP-MOUNTED EAR MUFF

- ▶ NRR 26 dB
- ▶ Specially designed for wide brim hats
- ▶ Adjustable height
- ▶ Meets ANSI S3.19-1974 regulations & CSA Class A standards



NP118

B52™ CAP-MOUNTED EAR MUFF

- ▶ NRR 25 dB
- ▶ Crown parking position
- ▶ Adjustable height
- ▶ Meets ANSI S3.19-1974 regulations & CSA Class A standards

Head Protection

Hard Hats



280-HP142R

ROCKY™

- ▶ Ultra-lightweight shell made with Polycarbonate / ABS material provides superior protection
- ▶ High density foam impact liner helps absorb the forces of front, side, or rear impacts
- ▶ Sure-Lock ratchet adjustment suspension
- ▶ Meets ANSI Z89.1-2014 Type II, Class E requirements and CSA Z94.1-15



Mips

280-HP142RM

ROCKY™ - MIPS®

- ▶ Mips® technology is designed to reduce rotational motion transferred to the head from modern day angled impacts
- ▶ Ultra-lightweight shell made with Polycarbonate / ABS material provides superior protection
- ▶ High density foam impact liner helps absorb the forces of front, side, or rear impacts
- ▶ Sure-Lock ratchet adjustment suspension
- ▶ Meets ANSI Z89.1-2014 Type II, Class E requirements and CSA Z94.1-15



Mips

280-HP1491RM

TRAVERSE™ - MIPS®

- ▶ Ultra-lightweight shell made with Polycarbonate / ABS material provides superior protection
- ▶ Mips® (Multi-directional Impact Protection System) is a low frictional layer designed to reduce rotational motion transferred to the head from angled impacts
- ▶ EPS foam impact liner helps absorb the forces of front, side, or rear impacts
- ▶ Includes a 4-point cross-over chin strap with quick release buckle that is adjustable for a safe & secure fit
- ▶ Rugged non-slip adjustable SURE-LOCK wheel ratchet ensures proper suspension performance and effortless fit for all head sizes
- ▶ Inner suspension includes comfortable padding for above the brow line
- ▶ Meets ANSI Z89.1-2014 Type II, Class E
- ▶ Meets EN 12492
- ▶ Compatible with full line of Traverse accessories

Also available in Vented Class C - 280-HP1491RVM



Bump Cap



280-HP241R

WHISTLER™

- ▶ Sleek and lightweight design
- ▶ Accessory slots & chin strap attachments
- ▶ Sure-Lock ratchet adjustment suspension
- ▶ Available in vented: 280-HP241RV



280-HP641R

KILIMANJARO™

- ▶ Full brim offers added sun protection to ears and neck against harmful UV rays
- ▶ Accessory slots & chin strap attachments
- ▶ Sure-Lock ratchet adjustment suspension
- ▶ Comfortable 4-point nylon webbing suspension
- ▶ Available in vented: 280-HP641RV



280-HP642R

KILIMANJARO® TYPE II

- ▶ EPS foam liner provides front, rear and lateral protection from impact and penetration
- ▶ Full brim offers added sun protection to ears and neck against harmful UV rays
- ▶ Accessory slots & chin strap attachments
- ▶ Sure-Lock ratchet adjustment suspension



282-AES150

HARDCAP AEROLITE™

- ▶ Unique size adjuster slides on an elastic strip to give a quick, secure fit and is angled downward to fit under nape of neck
- ▶ Terry cloth sweatband with Polygiene coating

Hi-Vis Garments



302-MVGZ4P



302-0500



302-0670T



303-0500



303-5PMTT

Hi-Vis Vests

302-MVGZ4P

ANSI TYPE R CLASS 2 MESH VEST, S-5XL

- ▶ Breathable polyester mesh
- ▶ 2" silver reflective tape
- ▶ Zipper closure
- ▶ 4-pocket design

302-0500

ANSI TYPE R CLASS 2 SURVEYORS VEST, S-5XL

- ▶ Solid front and mesh back for breathability
- ▶ 2" two-tone tape for optimum visibility
- ▶ Zipper closure
- ▶ 11-pocket design

302-0670T

ANSI TYPE R CLASS 2 TETHERING VEST, S-5XL

- ▶ Breathable polyester mesh front and back
- ▶ Ripstop black bottom for added durability
- ▶ 2" two-tone tape for optimum visibility
- ▶ D-ring access

303-0500

ANSI TYPE R CLASS 3 SURVEYORS VEST, S-5XL

- ▶ Durable polyester solid front and breathable mesh back and sleeves
- ▶ 2" two-tone tape for optimum visibility
- ▶ Zipper closure
- ▶ 11-pocket design

303-5PMTT

ANSI TYPE R CLASS 3 TWO-TONE BREAKAWAY VEST, S-5XL

- ▶ Breathable polyester mesh
- ▶ 2" two tone tape for optimum visibility
- ▶ Hook and loop closure
- ▶ 5-point breakaway



385-1370FR

FR Garments

385-1370FR

ANSI TYPE R CLASS 3 AR/FR HOODED SWEATSHIRT, S-5XL

- ▶ 11.2 oz. AR/FR fleece knit
- ▶ ARC rating: ATPV 19.2 cal/cm²
- ▶ Storm guard over front zipper with hook and loop closure
- ▶ Meets NFPA 70E



315-1350FR

315-1350FR

ANSI TYPE R CLASS 3 AR/FR LONG SLEEVE T-SHIRT, S-5XL

- ▶ PPE Level 2
- ▶ ARC rating: ATPV 8.6 cal/cm²
- ▶ 8 oz. FR cotton
- ▶ 2" FR reflective tape for superior visibility
- ▶ 1 chest pocket
- ▶ Meets NFPA 70E and ASTM F1506



323-1370B



333-1766



333-1500-R



Hi-Vis Outerwear

323-1370B

**ANSI TYPE R CLASS 3
FULL ZIP HOODED
SWEATSHIRT, S-5XL**

- ▶ 10 oz. polyester fleece
- ▶ Water repellent shell treatment
- ▶ Zipper closure
- ▶ ANSI/ISEA 107 Class 3

333-1766

**ANSI TYPE R CLASS 3
BLACK BOTTOM BOMBER
JACKET, S-6XL**

- ▶ Durable waterproof polyester outer shell with taped seams
- ▶ Removable black fleece liner
- ▶ Detachable hideaway hood

333-1500-R

**ANSI TYPE R CLASS 3
4-IN-1 JACKET, S-5XL**

- ▶ Heavy-duty PU coated polyester outer shell offers protection from the rain and wind
- ▶ Reversible to dark gray with 2 slash pockets and chest pocket
- ▶ Dark gray bottom, collar and cuffs help camouflage dirt
- ▶ Removable zippered sleeves transforms garment into a Class 2 vest

4-in-1 Reversible Windbreaker



305-2200

305-2200

**ANSI TYPE R CLASS 2
AR/FR SOLID VEST, M-5XL**

- ▶ ANSI Type R Class 2
- ▶ Solid Westex® DH fabric for long-lasting performance and comfort
- ▶ 2" FR reflective tape
- ▶ Meets NFPA 70E, ASTM F1506
- ▶ ARC rating: ATPV 8.9 cal/cm²
- ▶ To be worn over ARC rated clothing



305-2200

305-3100

**ANSI TYPE R CLASS 3
AR/FR MESH VEST, M-5XL**

- ▶ ANSI Type R Class 3
- ▶ Solid Westex® DH fabric for long-lasting performance and comfort
- ▶ 2" FR reflective tape
- ▶ Meets NFPA 70E, ASTM F1506
- ▶ ARC rating: ATPV 8.9 cal/cm²
- ▶ To be worn over ARC rated clothing

Rainwear



353-1000

353-1000

**VIZ™ ANSI TYPE R CLASS 3
RAINSUIT, M-5XL**

- ▶ Lightweight 150 D polyester with waterproof PU coating and taped seams
- ▶ Zipper closure with storm flap
- ▶ Elastic waist pant with snap adjustable cuff
- ▶ Concealable hood for extra protection



353-1048

353-1048

**ANSI TYPE R CLASS 3
48" RAINCOAT, S-5XL**

- ▶ Lightweight 150 D polyester with waterproof PU coating and taped seams
- ▶ Zipper closure with storm flap with snaps
- ▶ Concealable hood for extra protection



**JACKET: 353-1200
PANTS: 353-1202**

353-1200

**ANSI TYPE R CLASS 3
WATERPROOF JACKET
WITH BLACK BOTTOM, S-5XL**

- ▶ Breathable lightweight 150 D ripstop outer shell with PU coating
- ▶ Black bottom and cuffs help camouflage dirt
- ▶ Adjustable, hideaway hood for extra protection

353-1202

**ANSI CLASS E
WATERPROOF PANTS
WITH BLACK BOTTOM, S-5XL**

- ▶ Lightweight 150 D ripstop outer shell with PU coating
- ▶ Black bottom with snap adjustments and zippered gusset for easy on and off
- ▶ Removable suspenders



ANSI 107
TYPE/CLASS
R3

2
PPE

355-2500AR

355-2500AR

**ANSI TYPE R CLASS 3
AR/FR WATERPROOF JACKET, S-5XL**

- ▶ Waterproof, breathable and 100% cotton jersey coated FR polyester shell
- ▶ Water-tight "D" ring harness access
- ▶ ARC rating: ATPV 16.2 cal/cm²
- ▶ Meets NFPA 70E

bouton

Safety Eyewear



250-54-0551

BOUTON® FORTIFY™

- ▶ FogLess® 3Sixty™ enhanced hydrophobic action resists lens fogging and provides clear vision in extreme working conditions
- ▶ Lightweight, comfortable foam-sealed design keeps out dust and airborne particles
- ▶ Tinted lenses relieve eyes from bright lights and glare



250-AN-10111

BOUTON® ANSER™

- ▶ Hard coated anti-scratch treatment toughens lens surface for a longer product life
- ▶ Lightweight, semi-rimless design provides all-day user comfort
- ▶ Sleek, sporty style with wraparound lens protection



250-32-0520

BOUTON® RECON™

- ▶ FogLess® 3Sixty™ enhanced hydrophobic action resists lens fogging and provides clear vision in extreme working conditions
- ▶ Lightweight, rimless design provides all-day comfort
- ▶ Flexible bayonet temples contain rubber pads for a secure, non-slip fit

Cooling Gear



390-EZ202

EZ-COOL® COOLING VEST, M-5XL

- ▶ Hyperkewl™ inner cooling fabric and water repellent nylon liner
- ▶ ANSI/ISEA 107 Type R Class 2
- ▶ Cools the body 15-20° from the ambient temperature



396-EZ900

EZ-COOL® COOLING TOWEL, ONE SIZE

- ▶ Quickly reduces temperature when soaked in water
- ▶ Provides UV protection and resists odors
- ▶ Re-activate when wet by waving or snapping it in the air
- ▶ Also available in bulk (10 pack), does not include container



396-EZ810

EZ-COOL® COOLING NECK SHADE, ONE SIZE

- ▶ Conveniently attaches to hard hat with hook and loop tabs
- ▶ Combines cooling comfort with protection against the sun
- ▶ Material absorbs, stores and releases water within a multi-layered fabric



Respirators

270-RPD513N95

ECONOMY N95 DISPOSABLE

- ▶ Curved nose clip
- ▶ Ultrasonically welded straps
- ▶ Open foam nose pad

270-RPD714N95

N95 RESPIRATOR W/ VALVE

- ▶ Deluxe butterfly valve
- ▶ Ultrasonically welded straps
- ▶ Closed cell nose pad

270-RPD713N95

DELUXE N95 RESPIRATOR

- ▶ Closed-cell nose cushion
- ▶ Adjustable knob on each strap
- ▶ Ultrasonically welded straps



2KP4481



380-900



382-810



383-820



383-890

Foot Protection

2KP4481

BOSS® YELLOW RUBBER SLUSH BOOT, 7-18

- ▶ Reliable waterproof protection
- ▶ Top strap and buckle to block out liquids
- ▶ Bar-tread non-slip outer sole

380-900

BOSS® 16" WHITE PVC PLAIN TOE BOOT, 6-14

- ▶ PVC provides 100% waterproof protection
- ▶ 25% lighter than traditional PVC boots
- ▶ Improved channeling of water for excellent traction on weight bearing points

380-810

BOSS® 16" BLACK PVC STEEL TOE BOOT, 6-14

- ▶ PVC provides an 100% waterproof protection
- ▶ ASTM F2413-18 M/1/C impact and compression certified
- ▶ Improved channeling of water for excellent traction on weight bearing points

383-820

BOSS® 16" BLACK PVC STEEL TOE & SOLE BOOT, 6-14

- ▶ PVC provides 100% waterproof protection
- ▶ ASTM F2413-18 M/1/75 C/ 75 PR EH certified
- ▶ Improved channeling of water for excellent traction on weight bearing points

383-890

BOSS® 16" POLYBLEND STEEL TOE & SHANK BOOT, 6-14

- ▶ Polyblend compound provides 100% waterproof protection
- ▶ Superior resistance to fat, oils and chemicals
- ▶ Removable pre-formed insole wicks perspiration to keep feet dry and comfortable



Safety Beacons

Set visible work zone boundaries on the job site

Patented fresnel lens and high-luminosity LEDs allow beam to be visible for ¾ mile

Shatterproof polycarbonate lens

Improved switching mechanism involves a simple twist of the lens to the desired function

Reflective strip and fluorescent body for maximum visibility

High-strength clips with added holes enable attachment versatility

Impact-resistant ABS body

Compact and lightweight, weighs under 11 oz. with 4 "AA" batteries



INTRINSICALLY SAFE

> Eflare® is designed to avoid hazardous sparks and ignition while keeping illumination temperatures low in any rescue or response scenario.

BETTER FOR THE ENVIRONMENT

> Unlike pyrotechnic flares, there is no risk of fire or explosion, and no toxic fumes or residues.

DURABLE

> Eflare® beacons are waterproof (up to 100 feet), dustproof and durable — able to withstand a 3-foot drop onto a concrete surface.

INFINITELY VERSATILE

> Unit can easily attach to belts, clothing, traffic cones, rails, metal racking and more. Be seen and safe in almost any situation.



EFLARE® SAFETY & EMERGENCY BEACONS

STYLE NUMBER	BEACON COLOR	LIGHT INTENSITY	OPERATION	BATTERIES	HEIGHT
939-AT290-R	Red	8 LED	Flash or Steady-On 1-Color	Four "AA" Alkaline	8"
939-AT290-A	Amber	8 LED	Flash or Steady-On 1-Color	Four "AA" Alkaline	8"
939-AT290-B	Blue	8 LED	Flash or Steady-On 1-Color	Four "AA" Alkaline	8"
939-AT290-G	Green	8 LED	Flash or Steady-On 1-Color	Four "AA" Alkaline	8"
939-AT290-W	White	8 LED	Flash or Steady-On 1-Color	Four "AA" Alkaline	8"
939-AT293-R/B	Red & Blue	4 + 4 LED	Dual Flash 2-Color	Four "AA" Alkaline	8"
939-AT293-A/W	Amber & White	4 + 4 LED	Dual Flash 2-Color	Four "AA" Alkaline	8"
939-AT293-B/W	Blue & White	4 + 4 LED	Dual Flash 2-Color	Four "AA" Alkaline	8"
939-AT293-R/A	Red & Amber	4 + 4 LED	Dual Flash 2-Color	Four "AA" Alkaline	8"
939-AT293-R/W	Red & White	4 + 4 LED	Dual Flash 2-Color	Four "AA" Alkaline	8"

* Additional colors available upon request

* Batteries not included



ONLY 6
INCHES
HIGH

Compact
Safety Beacon

EFLARE® COMPACT BOUNDARY & WARNING BEACONS

STYLE NUMBER	BEACON COLOR	LIGHT INTENSITY	OPERATION	BATTERIES	HEIGHT
939-AT280-R	Red	8 LED	Flash or Steady-On 1-Color	Four "AA" Alkaline	6"
939-AT280-A	Amber	8 LED	Flash or Steady-On 1-Color	Four "AA" Alkaline	6"
939-EF350-R	Red	4 LED	Flash 1-Color	Four "AA" Alkaline	6"
939-EF350-A	Amber	4 LED	Flash 1-Color	Four "AA" Alkaline	6"

** Batteries not included*

ACCESSORIES



▲ 939-EFBASE



▲ 939-EFAVBASE



▲ 939-EFMAGCLIP



▲ 939-EFCLIP



▲ 939-EFBAG-4

EFLARE® BOUNDARY & WARNING BEACON ACCESSORIES

STYLE NUMBER	DESCRIPTION	FEATURE/BENEFIT
939-EFBASE	Rubber Base Mount	- General purpose base that fits all Eflare® beacons
939-EFAVBASE	Aviation Rubber Base Mount	- Secure base for special purposes that fits all beacons
939-EFMAGCLIP	Magnetic Mounting Clip	- For stationary objects (not for moving vehicles) - Attaches to all Eflare® beacons
939-EFCLIP	Cone Mounting Clip	- Enables vertical mounting on most types of cones - Attaches to all Eflare® beacons
939-EFBAG-4	Storage Bag - Large	- Carry bag for 4-6 beacons plus accessories


** Additional accessories available*

Tool Tethering

HOLD GRAVITY ACCOUNTABLE
Prevent dropped objects from heights



Tool Lanyards



Maximum Load Limit

10 lbs.
4.5 kg

533-100011



Maximum Load Limit

22 lbs.
9.9 kg

533-100701



Maximum Load Limit

10 lbs.
4.5 kg

533-100012

Lanyards with barrel-lock carabiner

- Snag-resistant D frame carabiner with angled gate opening includes a lanyard captive pin for extra security
- Shock cording inside nylon protective webbing
- Lock pin on carabiner end for extra security

STYLE NUMBER	MAXIMUM LOAD LIMIT	LEG	CARABINER	GATE OPENING	FASTENER
533-100011	10 lbs / 4.5kg	Single	Barrel-lock	1" / 2.5cm	Draw string
533-100701	22 lbs / 9.9kg	Single	Barrel-lock	1" / 2.5cm	Nylon webbing
533-100012	10 lbs / 4.5kg	Double	Barrel-lock	1.5" / 3.8cm	Draw string
533-900101	Tool Tethering Kit, includes 533-100011, 533-100352, 533-700101				

Tool Connector Attachment Points




Maximum Load Limit
3 lbs.
1.4 kg



WEBBING TOOL CONNECTOR

- Premium nylon webbing
- Fully enclosed D-ring for secure attachment
- Swivel head for ease of use with small tools
- Used with tool tape as retrofit tether point for tools/equipment
- Max load limit 3 lbs / 1.4Kg

533-100352 - 4.5"
533-100353 - 5.5"



Maximum Load Limit
2 lbs.
0.9 kg



WIRE SLING LOOP

- Loop end to tether tools with small captive holes
- Premium coated stainless steel cable wire
- Max load limit 2 lbs / 0.9kg

533-100801



Maximum Load Limit
3 lbs.
1.4 kg



WIRE SLING WITH SCREW GATE

- Screw gate end to tether tools with small captive holes
- Premium coated stainless steel cable wire
- Max load limit 3 lbs / 1.4kg

533-100802



Maximum Load Limit
15 lbs.
6.8 kg



TOOL BINDING TAPE

- Premium self-adhering tape
- 12 foot roll
- Used with webbing tool connectors as retrofit tether point for tools/equipment
- Max load limit 15 lbs / 6.8kg

533-700101



Maximum Load Limit
15 lbs.
6.8 kg



ELASTICATED CORD TOOL CONNECTOR

- Provides retrofit attachment point to tools/equipment
- Elastic shock cording with barrel lock to attach to tool/equipment
- Swivel head for ease of use

533-100151

Accessories



Maximum Load Limit
2 lbs.
0.9 kg



HARD HAT LANYARD

- High-stretch elastic material
- Easy-to-attach clamp for fabric
- Tethering loop securely connects to hard hat
- Max load limit 2 lbs / 0.9kg

533-300101



Maximum Load Limit
2 lbs.
0.9 kg



MEASURING TAPE POUCH

- Premium nylon for strength and durability
- Fully enclosed D-ring for secure attachment
- Used to secure most standard tape measures
- Max load limit 2 lbs / 0.9kg

533-300301



Maximum Load Limit
2 lbs.
0.9 kg



WRISTBAND TOOL HOLDER

- Premium nylon and elastic webbing
- Fully enclosed D-ring for secure attachment
- Shock cording for maximum strength & durability
- Swivel head for easy of use with small tools
- Pull-on design for easy on/off application
- One size fits all
- Max load limit 2 lbs / 0.9kg

533-300401



Maximum Load Limit
5 lbs.
2.3 kg



UTILITY POUCH

- Premium nylon and elastic webbing
- Fully enclosed D-Ring for secure attachment
- Used to secure radios, cell phones and other small hand tools
- Modular buckle design connects to fall protection and tool belts
- Max load limit 5 lbs / 2.3kg

533-300201



FOR OUR COMPLETE LINE
OF SAFETY PRODUCTS
GO TO WWW.PIPUSA.COM



HAND & ARM
PROTECTION



PROTECTIVE
GARMENTS



EYE & HEARING
PROTECTION



ELECTRICAL
SAFETY



HEAD
PROTECTION



FOOT
PROTECTION



TOOL
TETHERING



Construction Safety

PROTECTIVE INDUSTRIAL PRODUCTS, INC.

968 Albany Shaker Road | Latham, NY 12110

518-861-0133 | 800-262-5755

sales@pipusa.com | www.pipusa.com